114EZNM



Type N Male EZfit® for 1-1/4 in FXL1480 and AVA6-50 cable

Product Classification

Portfolio CommScope®

Product TypeWireless and radiating connector

Product Brand EZfit®

Product Series AVA6-50 | AVA6RK-50

Ordering Note CommScope® standard product (Global)

General Specifications

Body Style Straight

Inner Contact Attachment Method Captivated

Inner Contact Plating Silver

Interface N Male

Mounting Angle Straight

Outer Contact Attachment Method Clamp

Outer Contact Plating Trimetal

Pressurizable No

Dimensions


Length 71.88 mm | 2.83 in

Diameter 49.02 mm | 1.93 in

Nominal Size 1-1/4 in

Outline Drawing





Electrical Specifications

3rd Order IMD at Frequency -116 dBm @ 1800 MHz
3rd Order IMD Test Method Two +43 dBm carriers

Insertion Loss Coefficient, typical 0.05

Average Power at Frequency 0.6 kW @ 900 MHz

Cable Impedance 50 ohm **Connector Impedance** 50 ohm 2000 V dc Test Voltage Inner Contact Resistance, maximum 2 m0hm Insulation Resistance, minimum 5000 MOhm **Operating Frequency Band** 0 - 4000 MHz **Outer Contact Resistance, maximum** 0.3 m0hm Peak Power, maximum 10 kW RF Operating Voltage, maximum (vrms) 707 V

VSWR/Return Loss

Shielding Effectiveness

Frequency Band VSWR Return Loss (dB)

-130 dB

50–1000 MHz 1.025 38.17

COMMSCOPE®

114EZNM

1000-1900 MHz	1.029	36.9
1900-2200 MHz	1.036	35.05
2200-2700 MHz	1.046	32.96
2700-3300 MHz	1.065	30.04

Mechanical Specifications

Attachment Durability 25 cycles

Connector Retention Tensile Force1,334.47 N | 300 lbfConnector Retention Torque8.14 N-m | 72.001 in lbCoupling Nut Proof Torque24.86 N-m | 220.003 in lbCoupling Nut Retention Force1,000.85 N | 225 lbf

Coupling Nut Retention Force Method MIL-C-39012C-3.25, 4.6.22

Insertion Force66.72 N | 15 lbfInsertion Force MethodIEC 61169-1:15.2.4

Interface Durability 500 cycles

Interface Durability Method IEC 61169-4:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ ($-40 \,^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)Storage Temperature $-55 \,^{\circ}\text{C}$ to $+85 \,^{\circ}\text{C}$ ($-67 \,^{\circ}\text{F}$ to $+185 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202F, Method 106F

Vibration Test Method IEC 60068-2-6

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Packaging and Weights



114EZNM

Weight, net 302 g | 0.666 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant



* Footnotes

Insertion Loss Coefficient, typical 0.05√ freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

