

Arrestor Plus® LTE Band Quarterwave dc Passing Surge Arrestor (T-shaped), 698–2170 MHz, with interface types DIN Female Bulkhead and DIN Female

Product Classification

Product Type Surge arrestor
Product Brand Arrestor Plus®

Ordering Note CommScope® standard product in the United States and Canada

General Specifications

Device Typedc PassBody StyleBulkheadInner Contact PlatingSilver

Interface 7-16 DIN Female Bulkhead

Interface 2 7-16 DIN Female

 Outer Contact Plating
 Trimetal

 Pressurizable
 No

Dimensions


 Height
 81 mm | 3.189 in

 Width
 42 mm | 1.654 in

 Length
 88 mm | 3.465 in

Outline Drawing





Electrical Specifications

Gas Tube Voltage

3rd Order IMD -117 dBm

3rd Order IMD Test Method Two +43 dBm carriers

Insertion Loss, typical0.05 dBAverage Power3000 WConnector Impedance50 ohm

Lightning Surge Capability10 times @ 30 kALightning Surge Capability Test MethodIEEE C62.42-1991Lightning Surge Capability Waveform8/20 waveform

Lightning Surge Current 30 kA

Lightning Surge Current Waveform 8/20 waveform

Operating Frequency Band 698 - 2170 MHz

Peak Power, maximum 40 kW

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
1.0-5.0 MHz	1.173	22
2.0-2.3 MHz	1.119	25
698-806 MHz	1.208	20.5
806-960 MHz	1.135	24
1710-2000 MHz	1.106	26

Page 2 of 4



350 V

2000–2170 MHz 1.106 26

Mechanical Specifications

Attachment Durability 25 cycles
Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+100 \,^{\circ}\text{C}$ (- $40 \,^{\circ}\text{F}$ to $+212 \,^{\circ}\text{F}$)

Storage Temperature $-70 \,^{\circ}\text{C}$ to $+150 \,^{\circ}\text{C}$ (- $94 \,^{\circ}\text{F}$ to $+302 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$

Corrosion Test Method MIL-STD-202, Method 101, Test Condition B

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202, Method 106

Thermal Shock Test MethodMIL-STD-202, Method 107, Test Condition A-1, Low Temperature -55 °C

Water Jetting Test Mating Mated

Packaging and Weights

Weight, net 0.64 kg | 1.41 lb

Regulatory Compliance/Certifications

Agency Classification
AISG Compliant

CHINA-ROHS Above maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system
REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted









* Footnotes

Insertion Loss, typical 0.05√ freq (GHz) (not applicable for elliptical waveguide)

Immersion Depth Immersion at specified depth for 24 hours

