# 760127316 | R-012-DZ-8W-FSUYL



Fiber Indoor cable, TeraSPEED® Riser Distribution, interlocking aluminum armored with riser jacket, 12 fiber single-unit, Gel-free, Singlemode G.652. D and G.657.A1, Feet jacket marking, Yellow jacket color

#### **Product Classification**

Regional Availability

Asia | Australia/New Zealand | Latin America | Middle East/Africa | North

America

Portfolio CommScope®

**Product Type** Fiber indoor cable

**Product Series** R-DZ

### General Specifications

Armor Type Interlocking aluminum

Cable TypeDistributionConstruction TypeArmoredSubunit TypeGel-freeJacket ColorYellowJacket MarkingFeet

**Total Fiber Count** 12

#### **Dimensions**

Diameter Over Armor10.8 mm | 0.425 inDiameter Over Jacket12.8 mm | 0.504 in

## Mechanical Specifications

Minimum Bend Radius, loaded192 mm | 7.559 inMinimum Bend Radius, unloaded128 mm | 5.039 inTensile Load, long term, maximum200 N | 44.962 lbfTensile Load, short term, maximum667 N | 149.948 lbfCompression85 N/mm | 485.363 lb/in

Page 1 of 3



# 760127316 | R-012-DZ-8W-FSUYL

**Compression Test Method** FOTP-41 | IEC 60794-1 E3

Flex 25 cycles

Flex Test Method FOTP-104 | IEC 60794-1 E6

**Impact** 35 N-m | 309.776 in lb

Impact Test Method FOTP-25 | IEC 60794-1 E4

**Strain** See long and short term tensile loads

Strain Test Method FOTP-33 | IEC 60794-1 E1

Twist 10 cycles

Twist Test Method FOTP-85 | IEC 60794-1 E7

**Vertical Rise, maximum** 140 m | 459.318 ft

Optical Specifications

**Fiber Type** G.652.D and G.657.A1, TeraSPEED®

### **Environmental Specifications**

Installation temperature  $-20 \,^{\circ}\text{C to} + 70 \,^{\circ}\text{C } (-4 \,^{\circ}\text{F to} + 158 \,^{\circ}\text{F})$ Operating Temperature  $-20 \,^{\circ}\text{C to} + 70 \,^{\circ}\text{C } (-4 \,^{\circ}\text{F to} + 158 \,^{\circ}\text{F})$ 

Storage Temperature  $-40 \,^{\circ}\text{C} \text{ to } +70 \,^{\circ}\text{C} \, (-40 \,^{\circ}\text{F to } +158 \,^{\circ}\text{F})$ 

Cable Qualification Standards ANSI/ICEA S-83-596 | Telcordia GR-409

Environmental Space Riser

Flame Test Listing NEC OFCR (ETL) and c(ETL)

Flame Test Method UL 1666

## **Environmental Test Specifications**

**Heat Age** -20 °C to +85 °C (-4 °F to +185 °F)

**Heat Age Test Method** IEC 60794-1 F9

**Low High Bend**  $-20 \,^{\circ}\text{C} \text{ to } +70 \,^{\circ}\text{C} \, (-4 \,^{\circ}\text{F to } +158 \,^{\circ}\text{F})$ 

**Low High Bend Test Method** FOTP-37 | IEC 60794-1 E11

**Temperature Cycle** -20 °C to +70 °C (-4 °F to +158 °F)

**Temperature Cycle Test Method** FOTP-3 | IEC 60794-1 F1

Packaging and Weights

**Cable weight** 146 kg/km | 98.107 lb/kft



# 760127316 | R-012-DZ-8W-FSUYL

## Regulatory Compliance/Certifications

Agency Classification
ANATEL Compliant

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



#### Included Products

CS-8W-TB - TeraSPEED® Singlemode Fiber

### \* Footnotes

**Operating Temperature** Specification applicable to non-terminated bulk fiber cable

