# 760227702 | HTC-24SM-810-APVD



### HELIAX® Hybrid Cable, UL Type TC-OF-ER

### **Product Classification**

Regional Availability

Asia | Australia/New Zealand | EMEA | Latin America | North

America

Portfolio CommScope®

Product Type Hybrid cable, copper and fiber

Product Brand HELIAX®

General Specifications

**Application** Remote radio head

Cable Type Wireless feeder

Conductors, quantity 8

Construction Type Shielded

Fiber Short Description RFF - 10AWG

Fiber Type, quantity 24
Fibers per Subunit, quantity 12

Inner Shield (Tape) Material Corrugated aluminum

Jacket Color Black

Outer Shield (Tape) Material PVC

Strength Members Glass reinforced plastic rod

Subunit, quantity 2

Total Fiber Count 24

Water Blocking Method Water blocking tape(s) | Water blocking threads

**Dimensions** 

**Buffer Tube/Subunit Diameter** 3.556 mm | 0.14 in



# 760227702 | HTC-24SM-810-APVD

**Diameter Over Jacket** 24.13 mm | 0.95 in


Conductor Gauge 10 AWG

**Electrical Specifications** 

dc Resistance Note Maximum value based on a standard condition of 20 °C (68 °F)

dc Resistance, maximum 3.412 ohms/km | 1.04 ohms/kft

### Representative Image



## Material Specifications

**Ripcord Material** Para-aramid synthetic fiber

## Mechanical Specifications

Minimum Bend Radius, multiple bends, loaded482.6 mm | 19 inMinimum Bend Radius, multiple bends, unloaded289.56 mm | 11.4 inMinimum Bend Radius, single bend, unloaded167.64 mm | 6.6 inTensile Load, long term, maximum800.68 N | 180 lbfTensile Load, short term, maximum2,668.932 N | 600 lbf

**Compression** 2.25 kg/mm | 126 lb/in

Compression Test Method FOTP-41

 Flex Test Method
 FOTP-104

 Impact
 4.34 ft lb | 5.884 N-m

npact 4.34 ft lb | 5.884 N-m

Impact Test MethodFOTP-25Twist10 cyclesTwist Test MethodFOTP-85

Optical Specifications

**COMMSCOPE®** 

# 760227702 | HTC-24SM-810-APVD

**Fiber Type** G.657.A2/B2 | G.657.A2/B2

## **Environmental Specifications**

Installation temperature  $-30 \,^{\circ}\text{C to} + 70 \,^{\circ}\text{C } (-22 \,^{\circ}\text{F to} + 158 \,^{\circ}\text{F})$ Operating Temperature  $-40 \,^{\circ}\text{C to} + 80 \,^{\circ}\text{C } (-40 \,^{\circ}\text{F to} + 176 \,^{\circ}\text{F})$ Storage Temperature  $-40 \,^{\circ}\text{C to} + 80 \,^{\circ}\text{C } (-40 \,^{\circ}\text{F to} + 176 \,^{\circ}\text{F})$ 

Cable Qualification Standards ANSI/ICEA S-87-640 | Telcordia GR-20 | Telcordia GR-409

Environmental Space Wireless installation

Packaging and Weights

**Cable weight** 814.026 kg/km | 547 lb/kft

## Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Below maximum concentration value

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant



#### Included Products

CS-8G-MP – Enhanced Low Macrobending, Zero Water Peak, Dispersion-Unshifted Singlemode Fiber (ITU-T

G.657.A2, B2)

### \* Footnotes

**Operating Temperature** Specification applicable to non-terminated bulk fiber cable



## CS-8G-MP

Enhanced Low Macrobending, Zero Water Peak, Dispersion-Unshifted Singlemode Fiber (ITU-T G. 657.A2, B2)

#### **Product Classification**

 Portfolio
 CommScope®

 Product Type
 Optical fiber

General Specifications

**Cladding Diameter** 125 µm ±0.7 µm **Cladding Diameter Tolerance** Cladding Non-Circularity, maximum 0.7 % **Coating Diameter (Colored)** 249 µm **Coating Diameter (Uncolored)** 242 µm **Coating Diameter Tolerance (Colored)** ±13 µm **Coating Diameter Tolerance (Uncolored)** ±5 µm Coating/Cladding Concentricity Error, maximum 12 µm Core/Clad Offset, maximum  $0.5 \, \mu m$ 

**Proof Test** 689.476 N/mm² | 100000 psi

Dimensions

Fiber Curl, minimum 4 m | 13.123 ft

Mechanical Specifications

 Macrobending, 15 mm mandrel, 1 turn
 0.50 dB @ 1,550 nm
 | 1.00 dB @ 1,625 nm

 Macrobending, 20 mm mandrel, 1 turn
 0.10 dB @ 1,550 nm
 | 0.20 dB @ 1,625 nm

 Macrobending, 30 mm mandrel, 10 turns
 0.03 dB @ 1,550 nm
 | 0.10 dB @ 1,625 nm

Coating Strip Force, maximum8.9 N | 2.001 lbfCoating Strip Force, minimum1.3 N | 0.292 lbf

Dynamic Fatigue Parameter, minimum 20

**Optical Specifications** 

Cabled Cutoff Wavelength, maximum1260 nmPoint Defects, maximum0.1 dB



## CS-8G-MP

**Zero Dispersion Slope, maximum** 0.092 ps/[km-nm-nm]

Zero Dispersion Wavelength, maximum1324 nmZero Dispersion Wavelength, minimum1302 nm

Optical Specifications, Wavelength Specific

**Attenuation, maximum** 0.40 dB/km @ 1,310 nm | 0.40 dB/km @ 1,385

nm | 0.40 dB/km @ 1,550 nm | 0.50 dB/km @ 1,625

nm

**Dispersion, maximum** 18 ps(nm-km) at 1550 nm | 3.5 ps(nm-km) from 1285

nm to 1330 nm at 1310 nm

Index of Refraction 1.467 @ 1,310 nm | 1.467 @ 1,385 nm | 1.468 @ 1,550

nm

 Mode Field Diameter
 8.6 μm @ 1,310 nm | 9.8 μm @ 1,550 nm

**Mode Field Diameter Tolerance**  $\pm 0.4 \, \mu \text{m} \ @ \ 1310 \, \text{nm} \quad | \quad \pm 0.5 \, \mu \text{m} \ @ \ 1550 \, \text{nm}$ 

**Polarization Mode Dispersion Link Design Value, maximum** 0.06 ps/sqrt(km)

Standards Compliance ITU-T G.657.A2 | ITU-T G.657.B2

## **Environmental Specifications**

Heat Aging, maximum 0.05 dB/km @ 85 °C

Temperature Dependence, maximum0.05 dB/kmTemperature Humidity Cycling, maximum0.05 dB/km

Water Immersion, maximum 0.05 dB/km @ 23 °C

## Regulatory Compliance/Certifications

#### Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



### \* Footnotes

**Temperature Dependence, maximum** Temperature dependence is conducted at -60 °C to +85 °C (-76 °F to +185 °F)

**Temperature Humidity Cycling, maximum** Temperature humidity cycling is conducted at -10 °C to +85 °C (+14 °F to +185 °F)

up to 95% relative humidity

