R-096-DS-8W-FMU

Fiber indoor cable, TeraSPEED® Riser Distribution, 96 fiber multi-unit with 12 fiber subunits, Singlemode G.652.D and G.657.A1, Gel-free, Feet jacket marking

Product Classification

Regional Availability

Asia | Australia/New Zealand | Latin America | Middle East

/Africa | North America

Portfolio CommScope®

Product Type Fiber indoor cable

Product Series R-DS

General Specifications

Cable TypeDistributionConstruction TypeNon-armoredSubunit TypeGel-freeJacket MarkingFeetSubunit, quantity8


Fibers per Subunit, quantity 12

Total Fiber Count 96

Dimensions

Buffer Tube/Subunit Diameter5.95 mm | 0.234 inDiameter Over Jacket23.58 mm | 0.928 in

Representative Image



COMMSC PE°

R-096-DS-8W-FMU

Mechanical Specifications

Minimum Bend Radius, loaded354 mm | 13.937 inMinimum Bend Radius, unloaded236 mm | 9.291 inTensile Load, long term, maximum400 N | 89.924 lbfTensile Load, short term, maximum1335 N | 300.12 lbfCompression10 N/mm | 57.101 lb/inCompression Test MethodFOTP-41 | IEC 60794-1 E3

Flex 100 cycles

Flex Test Method FOTP-104 | IEC 60794-1 E6

 Impact
 5.88 N-m | 52.042 in lb

 Impact Test Method
 FOTP-25 | IEC 60794-1 E4

Strain See long and short term tensile loads

Strain Test Method FOTP-33 | IEC 60794-1 E1

Twist 10 cycles

Twist Test Method FOTP-85 | IEC 60794-1 E7

Vertical Rise, maximum 81 m | 265.748 ft

Optical Specifications

Fiber Type G.652.D and G.657.A1, TeraSPEED®

Environmental Specifications

Installation temperature $-20 \, ^{\circ}\text{C}$ to $+70 \, ^{\circ}\text{C}$ (-4 $^{\circ}\text{F}$ to $+158 \, ^{\circ}\text{F}$)Operating Temperature $-20 \, ^{\circ}\text{C}$ to $+70 \, ^{\circ}\text{C}$ (-4 $^{\circ}\text{F}$ to $+158 \, ^{\circ}\text{F}$)Storage Temperature $-40 \, ^{\circ}\text{C}$ to $+70 \, ^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+158 \, ^{\circ}\text{F}$)

Cable Qualification Standards ANSI/ICEA S-83-596 | Telcordia GR-409

Environmental Space Riser

Flame Test Listing NEC OFNR (ETL) and c(ETL)

Flame Test Method UL 1666

Environmental Test Specifications

Heat Age -20 °C to +85 °C (-4 °F to +185 °F)

Heat Age Test Method IEC 60794-1 F9

COMMSCOPE®

R-096-DS-8W-FMU

Low High Bend -20 °C to +70 °C (-4 °F to +158 °F)

Low High Bend Test Method FOTP-37 | IEC 60794-1 E11

Temperature Cycle -20 °C to +70 °C (-4 °F to +158 °F)

Temperature Cycle Test Method FOTP-3 | IEC 60794-1 F1

Packaging and Weights

Cable weight 502 kg/km | 337.328 lb/kft

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

Included Products

CS-8W-TB - TeraSPEED® Singlemode Fiber

* Footnotes

Operating Temperature Specification applicable to non-terminated bulk fiber cable

