## D-CN

#### **Base Product**



Fiber Optic Cable, Outdoor Arid Core Gel-Free Tubes, Central Tube All-Dielectric

- CommScope's outside plant fiber cables are made with high-performance, standards-compliant materials
- The portfolio includes both armored and dielectric designs available with dry or gel-filled tubes
- Superior mechanical and optical performance with unmatched stability and quality

#### **Product Classification**

Regional Availability

Asia | Australia/New Zealand | EMEA | Latin America | North America

Portfolio CommScope®

**Product Type** Fiber OSP cable

**Product Series** D-CN

#### General Specifications

Cable TypeRibbon central tube

Construction Type Non-armored


**Subunit Type** Gel-free

Jacket Color Black

# Ordering Tree



## D-CN



### Mechanical Specifications

**Tensile Load, long term, maximum** 800 N | 179.847 lbf

**Tensile Load, short term, maximum** 2700 N | 606.984 lbf

**Compression** 22 N/mm | 125.623 lb/in

**Compression Test Method** FOTP-41 | IEC 60794-1 E3

Flex 25 cycles

Flex Test Method FOTP-104 | IEC 60794-1 E6

Impact Test Method FOTP-25 | IEC 60794-1 E4

**Strain** See long and short term tensile loads

Strain Test Method FOTP-33 | IEC 60794-1 E1

Twist 10 cycles

COMMSCOPE®

## D-CN

Twist Test Method FOTP-85 | IEC 60794-1 E7

### **Environmental Specifications**

Installation temperature  $-30 \,^{\circ}\text{C}$  to  $+60 \,^{\circ}\text{C}$  (-22 °F to +140 °F)

Operating Temperature  $-40 \,^{\circ}\text{C}$  to  $+70 \,^{\circ}\text{C}$  (-40 °F to +158 °F)

Storage Temperature  $-40 \,^{\circ}\text{C}$  to  $+75 \,^{\circ}\text{C}$  (-40 °F to +167 °F)

Cable Qualification Standards ANSI/ICEA S-87-640 | Telcordia GR-20

Environmental Space Aerial, lashed | Buried

Jacket UV Resistance UV stabilized

Water Penentration 24 h

**Water Penentration Test Method** FOTP-82 | IEC 60794-1 F5

#### **Environmental Test Specifications**

**Heat Age**  $-40 \,^{\circ}\text{C to} +85 \,^{\circ}\text{C} \, (-40 \,^{\circ}\text{F to} +185 \,^{\circ}\text{F})$ 

**Heat Age Test Method** IEC 60794-1 F9

**Low High Bend** -30 °C to +60 °C (-22 °F to +140 °F)

**Low High Bend Test Method** FOTP-37 | IEC 60794-1 E11

**Temperature Cycle** -40 °C to +70 °C (-40 °F to +158 °F)

**Temperature Cycle Test Method** FOTP-3 | IEC 60794-1 F1

#### \* Footnotes

**Operating Temperature** Specification applicable to non-terminated bulk fiber cable

