## DB201-P



1-port omni ground plane antenna, 450–470 MHz, 360° HPBW, fixed electrical tilt. Bandwidth: 2% of frequency.

- Omnidirectional antenna
- Mounts to top of tower, pole, or building
- Field tunable to desired frequency, cutting chart included

## General Specifications

Antenna Type Omni

**Band** Single band

**Color** Silver

**Grounding Type** RF connector inner conductor and body grounded to reflector and mounting bracket

Performance Note Outdoor usage

Radiator MaterialAluminumRF Connector InterfaceN MaleRF Connector LocationBottom

RF Connector Quantity, low band 1
RF Connector Quantity, total 1

#### Dimensions

 Width
 226.1 mm | 8.902 in

 Depth
 218.4 mm | 8.598 in

 Length
 482.6 mm | 19 in

 Net Weight, without mounting kit
 2.7 kg | 5.952 lb

### Electrical Specifications

**Bandwidth** 2% of frequency

**Impedance** 50 ohm

**Operating Frequency Band** 450 – 470 MHz

**Polarization** Vertical

## **Electrical Specifications**

Frequency Band, MHz 450-470

**COMMSCOPE®** 

# DB201-P

Gain, dBi 2.1

Beamwidth, Horizontal, 360

degrees

**Beamwidth, Vertical, degrees** 78

Beam Tilt, degrees 0

VSWR | Return loss, dB 1.5 | 14.0 Input Power per Port, 500

maximum, watts

Mechanical Specifications

**Wind Loading @ Velocity, maximum** 53.4 N @ 100 mph (12.0 lbf @ 100 mph)

Wind Speed, maximum 201 km/h (125 mph)

## Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

#### Included Products

DB365-OS – Pipe Mounting Kit that consists of two clamps for mounting antennas to round members 1.25 -

3.5 in (35 - 89 mm) OD round members.

#### \* Footnotes

**Performance Note** Severe environmental conditions may degrade optimum performance



# DB365-0S

Pipe Mounting Kit that consists of two clamps for mounting antennas to round members 1.25 - 3.5 in (35 - 89 mm) OD round members.

#### **Product Classification**

**Product Type** Pipe mounting kit

General Specifications

ApplicationOutdoorColorSilver

**Dimensions** 

Compatible Diameter, maximum88.9 mm | 3.5 inCompatible Diameter, minimum33 mm | 1.299 inWeight, net3.2 kg | 7.055 lb

Material Specifications

Material Type Galvanized steel

## Packaging and Weights

Included Brackets | Hardware

Packaging quantity 2

**Weight, gross** 3.6 kg | 7.937 lb

## Regulatory Compliance/Certifications

#### Agency Classification

CE Compliant with the relevant CE product directives

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



