VHLPX6-6W-6-QD/B



1.8 m | 6 ft ValuLine® High Performance Low Profile Antenna, dual-polarized, 5.925–7.125 GHz, CPR137G, white antenna, flexible woven polymer gray radome without flash, fully assembled/Quick Deploy pack—one-piece reflector

Product Classification

Product Type Microwave antenna

Product Brand ValuLine®

General Specifications

Antenna Type VHLPX - ValuLine® High Performance Low Profile Antenna, dual-polarized

Antenna Input CPR137G

Reflector Construction One-piece reflector

White

Radome Color Gray

Radome Material Polymer

Flash Included No

Dimensions

Antenna Color

Diameter, nominal 1.8 m | 6 ft

Electrical Specifications

Operating Frequency Band 5.925 – 7.125 GHz

Electrical Specifications, Band 2

Operating Frequency Band 5.700 - 5.875 GHz

Gain, Mid Band38.3 dBiBeamwidth, Horizontal2.2 °Beamwidth, Vertical2.2 °

Packaging and Weights

 Height, packed
 1517 mm | 59.724 in

 Width, packed
 1978 mm | 77.874 in

Page 1 of 2

VHLPX6-6W-6-QD/B

Length, packed 2016 mm | 79.37 in

Packaging Type Wooden crate

 Volume
 6.1 m³ | 215.42 ft³

 Weight, gross
 224 kg | 493.835 lb

 Weight, net
 86 kg | 189.597 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

* Footnotes

Operating Frequency Band Bands correspond with CCIR recommendations or common allocations used throughout the

world. Other ranges can be accommodated on special order.

Packaging Type Andrew standard packing is suitable for export. Antennas are shipped as standard in totally

recyclable cardboard or wire-bound crates (dependent on product). For your convenience, Andrew

offers heavy duty export packing options.

