		8	. 7	6	5	. <b>A</b>	<b>,</b> 2	2	1
Г	ITEM	PART NO.	DESCRIPTION	QTY.	WEIGHT	<b>+ -</b>	<u> </u>	REVISIONS	'
	1	MDS.XX	PANELS (SEE TABLE)	211.			REV. ECN	DESCRIPTION	BY DATE
	2	MXXX	GALV. PIPE (SEE TABLE)	1	_		A	INITIAL RELEASE  UPDATE ITEM #15	AW 04/13/06 MSM 06/11/08
	3	MDSHK	HARDWARE KIT (ITEMS 4-18	3) 1	_		С	ADD MD-S3, ADD SHEET 4	MSM 08/21/09
	4	MDS15	CENTER PLATE	1	1.59 LBS		D	REVISED MOUNTING BRACKETS	DRR 8/27/2010
	5	MDS.17	SHACKLE PLATE	2	1.32 LBS		E	ADD NOTES AND PANEL DIMENSIONS	MSM 03/07/12
n	6	MT216.13	CENTER BRACKET	1	11.80 LBS		H	REVISED HARDWARE KIT ADDED DETAIL A SHEET 2	DRR 03/07/13 DRR 04/02/13 D
	7	MDS20	MOUNT BRACKET	2	13.14 LBS		J	NEW THIMBLE AND TURNBUCKLE	MSM 03/24/14
	8	MDS21	MOUNT BRACKET	2	13.14 LBS		K 8000005308	UPDATE BALLOON CALL-OUTS SHEET 1	MSM 10/01/14
-	9	GB-04125	1/2" X 1-1/4" GALV BOLT K		0.12 LBS		L 8000025985	MD-S12, REPLACED MF130 WITH MT547156	QDL 8/30/2017
	10	GUB-4356	1/2" X 3-5/8" X 6" GALV U-BOL		0.88 LBS				17
	11	GUB-53560	5/8" X 3-5/8" X 6" GALV U-BC		1.28 LBS				
	12	GUB-5456	5/8" X 4-5/8" X 6½" GALV U-B		1.42 LBS	( 13 )—			
+	13	MT-299	EHS 3/8" GUY CABLE (200FT R		1.13LBS		000		
	14	MT-309	EYE NUT 3/8" WITH 1/2" THRE	-	0.26 LBS			(18)	
	15	MT-320	1/2" X 6" LONG JAW-JAW TURNE		1.788 LBS				
	16	MT-345	3/8 SHACKLE	12	0.33 LBS				
	17	MT-326	3/8" CABLE CLIP	28	0.08 LBS				
-	18	MT-303	3/8" OPEN THIMBLE GALV		0.12 LBS	<b>*</b>	<b>y</b>	9	
_	10	1011 303	370 OT LIV ITHIVIDLE OF LEV	17	0.12 LD3				
C									o o C
				PANELS					
	PART #	WFIGHT	GALV PIPE MDS.01 (A) MDS.02 (	(B) MDS.03 (C) M	IDS.04 (D) MDS.0	05 (F)			DETAIL C
	MD-S3		MT54775 2 -	-				(5)	DETAIL C
	MD-S4		MT54775 - 2	_					
	MD-S6		MT547100	4			• • • • • • • • • • • • • • • • • • • •		
	MD-S8		MT547126 2 -	4		2	• • • • •	$\frac{1}{C}$	
	MD-S10		MT547140	3	3 -			C	
	MD-S12		MT547156	-	2 4				
			<u>/ L \</u>		_				
			SEE SHEETS 3 - 6		9				$\sim$
					7				
В									
	$\begin{array}{c c} & & & \\ \hline & & \\ \hline & & \\ \hline \end{array}$								<b>—</b>
	MD-S8								
	$\begin{array}{c c} & & & & \\ \hline & & & & \\ \hline & & & & \\ \hline \end{array}$								
	SEE SHEET 2—  (17)								SHEET 2—
Α			DETA	VIT R	10 )	These drawings and specifications are the position of CommScope Inc. and may be used on purpose authorized in writing by Com	proprietary property Ity for the specific AW SHEET:  AW 1 of	6 MD-S SERIES	A
						purpose authorized in writing by Corr	CHECKED DI: SCALE.	DESCRIPTION:	
NOTES:  1. 3 BOLTS AT EACH PANEL CONNECTION  ALL DIMENSIONS ARE IN INCHES U.O.S. TOLERANCES UNLESS OTHERWISE SPECIFIED:  2. 4 H. 12 ANGLES ±2° 4. 12 ANGLES ±2° 4. 13/06 A36, A500  DRAWING TYPE ASSEMBLY DRAWING									
			JM 45 FT. LBS OF TO			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	S ±1/32  REVISION: FINISH:		
		Z NALICT	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		IONIC	REMOVE BURRS AND BREAK ED	IGES .005		
		). MUST	HAVE ALL 7 GUY CAI	SLE LUCAT	10112.	DO NOT SCALE THIS		E Hickory, NC 28602	U.S.A.
		8	7	6	5	4	3	2	1









