

CGABC | IPO6-08PUTP-01S-02S

Base Product



InstaPATCH® Cu GigaSPEED XL® U/UTP Plenum Preterminated Copper Cable, single row standard density outlet to dual row standard density outlet, 8 links

This product will be discontinued on: January 31, 2025

Product Classification

Regional Availability	Asia Australia/New Zealand EMEA Latin America North America
Portfolio	CommScope®
Product Type	Copper trunk cable assembly
Product Brand	GigaSPEED XL® InstaPATCH® Cu

General Specifications

ANSI/TIA Category	6
Cable Type	U/UTP (unshielded)
Conductor Type	Solid
Interface, Connector A	Information outlet
Interface Feature, connector A	Single row Standard density
Interface, Connector B	Information outlet
Interface Feature, connector B	Dual row Standard density
Link Count	8
Wiring	T568B

Dimensions

Cable Assembly Length Range (m)	2 – 90
Cable Assembly Length Range (ft)	7 – 295

Electrical Specifications

dc Resistance, maximum	0.3 ohm
Safety Voltage Rating	300 V

Ordering Tree

1	2	3	4	5	6	7	8	9	10	11	12				
C	A	A	A	C	-	1	1	H	A	B	B	F	0	5	0

Cable Type	Connector B	Orientation A	Orientation B																																																																																																																																																			
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>1</td><td>A</td><td>Cat 6A X10D – U/UTP (Plenum)</td></tr> <tr><td></td><td>B</td><td>Cat 6A X10D – U/UTP (Riser)</td></tr> <tr><td></td><td>C</td><td>Cat 6A X10D – U/UTP (LSZH)</td></tr> <tr><td></td><td>D</td><td>Cat 6A X10D – F/UTP (Plenum)</td></tr> <tr><td></td><td>E</td><td>Cat 6A X10D – F/UTP (Riser)</td></tr> <tr><td></td><td>F</td><td>Cat 6A X10D – F/UTP (LSZH)</td></tr> <tr><td></td><td>G</td><td>Cat 6 XL – U/UTP (Plenum)</td></tr> <tr><td></td><td>H</td><td>Cat 6 XL – U/UTP (Riser)</td></tr> <tr><td></td><td>J</td><td>Cat 6 XL – U/UTP (LSZH)</td></tr> <tr><td></td><td>Q</td><td>Cat 6A X10D – S/FTP (LSZH)</td></tr> <tr><td></td><td>R</td><td>Cat 6 – U/UTP Class B Rated (LSZH)</td></tr> <tr><td></td><td>S</td><td>Cat 6A – U/UTP Class B Rated (LSZH)</td></tr> <tr><td></td><td>Y</td><td>Cat 6A X10D SD – U/UTP (Riser)</td></tr> </table>	1	A	Cat 6A X10D – U/UTP (Plenum)		B	Cat 6A X10D – U/UTP (Riser)		C	Cat 6A X10D – U/UTP (LSZH)		D	Cat 6A X10D – F/UTP (Plenum)		E	Cat 6A X10D – F/UTP (Riser)		F	Cat 6A X10D – F/UTP (LSZH)		G	Cat 6 XL – U/UTP (Plenum)		H	Cat 6 XL – U/UTP (Riser)		J	Cat 6 XL – U/UTP (LSZH)		Q	Cat 6A X10D – S/FTP (LSZH)		R	Cat 6 – U/UTP Class B Rated (LSZH)		S	Cat 6A – U/UTP Class B Rated (LSZH)		Y	Cat 6A X10D SD – U/UTP (Riser)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>3</td><td>A</td><td>Outlet* – Single Row Standard Density</td></tr> <tr><td></td><td>B</td><td>Outlet* – Dual Row Standard Density</td></tr> <tr><td></td><td>C</td><td>Outlet* – Dual Row High Density</td></tr> <tr><td></td><td>G</td><td>RJ45 Plug* – Single Row Standard Density</td></tr> <tr><td></td><td>H</td><td>RJ45 Plug* – Dual Row Standard Density</td></tr> <tr><td></td><td>J</td><td>RJ45 Plug* – Dual Row High Density</td></tr> <tr><td></td><td>N</td><td>1100 Module</td></tr> <tr><td></td><td>R</td><td>360 1100 Evolve Module</td></tr> <tr><td></td><td>S</td><td>OneLink 2x6</td></tr> <tr><td></td><td>T</td><td>OneLink 2x4</td></tr> </table>	3	A	Outlet* – Single Row Standard Density		B	Outlet* – Dual Row Standard Density		C	Outlet* – Dual Row High Density		G	RJ45 Plug* – Single Row Standard Density		H	RJ45 Plug* – Dual Row Standard Density		J	RJ45 Plug* – Dual Row High Density		N	1100 Module		R	360 1100 Evolve Module		S	OneLink 2x6		T	OneLink 2x4	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>5</td><td>1</td><td>Trident Series Flat</td></tr> <tr><td></td><td>2</td><td>Right Paired Flat</td></tr> <tr><td></td><td>3</td><td>Right Series Flat</td></tr> <tr><td></td><td>4</td><td>Left Paired Flat</td></tr> <tr><td></td><td>5</td><td>Left Series Flat</td></tr> <tr><td></td><td>6</td><td>Trident Paired Flat</td></tr> <tr><td></td><td>A</td><td>Trident Series Angled</td></tr> <tr><td></td><td>B</td><td>Right Paired Angled</td></tr> <tr><td></td><td>C</td><td>Right Series Angled</td></tr> <tr><td></td><td>D</td><td>Left Paired Angled</td></tr> <tr><td></td><td>E</td><td>Left Series Angled</td></tr> <tr><td></td><td>F</td><td>Trident Paired Angled</td></tr> <tr><td></td><td>X</td><td>Not Applicable</td></tr> </table>	5	1	Trident Series Flat		2	Right Paired Flat		3	Right Series Flat		4	Left Paired Flat		5	Left Series Flat		6	Trident Paired Flat		A	Trident Series Angled		B	Right Paired Angled		C	Right Series Angled		D	Left Paired Angled		E	Left Series Angled		F	Trident Paired Angled		X	Not Applicable	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>6</td><td>1</td><td>Trident Series Flat</td></tr> <tr><td></td><td>2</td><td>Right Paired Flat</td></tr> <tr><td></td><td>3</td><td>Right Series Flat</td></tr> <tr><td></td><td>4</td><td>Left Paired Flat</td></tr> <tr><td></td><td>5</td><td>Left Series Flat</td></tr> <tr><td></td><td>6</td><td>Trident Paired Flat</td></tr> <tr><td></td><td>A</td><td>Trident Series Angled</td></tr> <tr><td></td><td>B</td><td>Right Paired Angled</td></tr> <tr><td></td><td>C</td><td>Right Series Angled</td></tr> <tr><td></td><td>D</td><td>Left Paired Angled</td></tr> <tr><td></td><td>E</td><td>Left Series Angled</td></tr> <tr><td></td><td>F</td><td>Trident Paired Angled</td></tr> <tr><td></td><td>X</td><td>Not Applicable</td></tr> </table>	6	1	Trident Series Flat		2	Right Paired Flat		3	Right Series Flat		4	Left Paired Flat		5	Left Series Flat		6	Trident Paired Flat		A	Trident Series Angled		B	Right Paired Angled		C	Right Series Angled		D	Left Paired Angled		E	Left Series Angled		F	Trident Paired Angled		X	Not Applicable
1	A	Cat 6A X10D – U/UTP (Plenum)																																																																																																																																																				
	B	Cat 6A X10D – U/UTP (Riser)																																																																																																																																																				
	C	Cat 6A X10D – U/UTP (LSZH)																																																																																																																																																				
	D	Cat 6A X10D – F/UTP (Plenum)																																																																																																																																																				
	E	Cat 6A X10D – F/UTP (Riser)																																																																																																																																																				
	F	Cat 6A X10D – F/UTP (LSZH)																																																																																																																																																				
	G	Cat 6 XL – U/UTP (Plenum)																																																																																																																																																				
	H	Cat 6 XL – U/UTP (Riser)																																																																																																																																																				
	J	Cat 6 XL – U/UTP (LSZH)																																																																																																																																																				
	Q	Cat 6A X10D – S/FTP (LSZH)																																																																																																																																																				
	R	Cat 6 – U/UTP Class B Rated (LSZH)																																																																																																																																																				
	S	Cat 6A – U/UTP Class B Rated (LSZH)																																																																																																																																																				
	Y	Cat 6A X10D SD – U/UTP (Riser)																																																																																																																																																				
3	A	Outlet* – Single Row Standard Density																																																																																																																																																				
	B	Outlet* – Dual Row Standard Density																																																																																																																																																				
	C	Outlet* – Dual Row High Density																																																																																																																																																				
	G	RJ45 Plug* – Single Row Standard Density																																																																																																																																																				
	H	RJ45 Plug* – Dual Row Standard Density																																																																																																																																																				
	J	RJ45 Plug* – Dual Row High Density																																																																																																																																																				
	N	1100 Module																																																																																																																																																				
	R	360 1100 Evolve Module																																																																																																																																																				
	S	OneLink 2x6																																																																																																																																																				
	T	OneLink 2x4																																																																																																																																																				
5	1	Trident Series Flat																																																																																																																																																				
	2	Right Paired Flat																																																																																																																																																				
	3	Right Series Flat																																																																																																																																																				
	4	Left Paired Flat																																																																																																																																																				
	5	Left Series Flat																																																																																																																																																				
	6	Trident Paired Flat																																																																																																																																																				
	A	Trident Series Angled																																																																																																																																																				
	B	Right Paired Angled																																																																																																																																																				
	C	Right Series Angled																																																																																																																																																				
	D	Left Paired Angled																																																																																																																																																				
	E	Left Series Angled																																																																																																																																																				
	F	Trident Paired Angled																																																																																																																																																				
	X	Not Applicable																																																																																																																																																				
6	1	Trident Series Flat																																																																																																																																																				
	2	Right Paired Flat																																																																																																																																																				
	3	Right Series Flat																																																																																																																																																				
	4	Left Paired Flat																																																																																																																																																				
	5	Left Series Flat																																																																																																																																																				
	6	Trident Paired Flat																																																																																																																																																				
	A	Trident Series Angled																																																																																																																																																				
	B	Right Paired Angled																																																																																																																																																				
	C	Right Series Angled																																																																																																																																																				
	D	Left Paired Angled																																																																																																																																																				
	E	Left Series Angled																																																																																																																																																				
	F	Trident Paired Angled																																																																																																																																																				
	X	Not Applicable																																																																																																																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Connector A</td><td>B</td><td>6</td></tr> <tr><td></td><td>C</td><td>8</td></tr> <tr><td></td><td>D</td><td>12</td></tr> <tr><td></td><td>E</td><td>16</td></tr> <tr><td></td><td>F</td><td>18</td></tr> <tr><td></td><td>G</td><td>24</td></tr> </table>	Connector A	B	6		C	8		D	12		E	16		F	18		G	24	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>4</td><td>B</td><td>6</td></tr> <tr><td></td><td>C</td><td>8</td></tr> <tr><td></td><td>D</td><td>12</td></tr> <tr><td></td><td>E</td><td>16</td></tr> <tr><td></td><td>F</td><td>18</td></tr> <tr><td></td><td>G</td><td>24</td></tr> </table>	4	B	6		C	8		D	12		E	16		F	18		G	24	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>9</td><td>0</td><td>Not Applicable</td></tr> <tr><td></td><td>1</td><td>Black (BK)</td></tr> <tr><td></td><td>2</td><td>Blue (BL)</td></tr> <tr><td></td><td>8</td><td>White (WH)</td></tr> </table>	9	0	Not Applicable		1	Black (BK)		2	Blue (BL)		8	White (WH)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>11</td><td>F</td><td>Foot</td></tr> <tr><td></td><td>M</td><td>Meter</td></tr> </table>	11	F	Foot		M	Meter	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td>12</td><td>XXX</td></tr> </table>	Length	12	XXX																																																																																									
Connector A	B	6																																																																																																																																																				
	C	8																																																																																																																																																				
	D	12																																																																																																																																																				
	E	16																																																																																																																																																				
	F	18																																																																																																																																																				
	G	24																																																																																																																																																				
4	B	6																																																																																																																																																				
	C	8																																																																																																																																																				
	D	12																																																																																																																																																				
	E	16																																																																																																																																																				
	F	18																																																																																																																																																				
	G	24																																																																																																																																																				
9	0	Not Applicable																																																																																																																																																				
	1	Black (BK)																																																																																																																																																				
	2	Blue (BL)																																																																																																																																																				
	8	White (WH)																																																																																																																																																				
11	F	Foot																																																																																																																																																				
	M	Meter																																																																																																																																																				
Length	12	XXX																																																																																																																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>2</td><td>A</td><td>Outlet* – Single Row Standard Density</td></tr> <tr><td></td><td>B</td><td>Outlet* – Dual Row Standard Density</td></tr> <tr><td></td><td>C</td><td>Outlet* – Dual Row High Density</td></tr> <tr><td></td><td>G</td><td>RJ45 Plug* – Single Row Standard Density</td></tr> <tr><td></td><td>H</td><td>RJ45 Plug* – Dual Row Standard Density</td></tr> <tr><td></td><td>J</td><td>RJ45 Plug* – Dual Row High Density</td></tr> <tr><td></td><td>N</td><td>1100 Module</td></tr> <tr><td></td><td>R</td><td>360 1100 Evolve Module</td></tr> <tr><td></td><td>S</td><td>OneLink 2x6</td></tr> <tr><td></td><td>T</td><td>OneLink 2x4</td></tr> <tr><td></td><td>X</td><td>Unterminated</td></tr> </table>	2	A	Outlet* – Single Row Standard Density		B	Outlet* – Dual Row Standard Density		C	Outlet* – Dual Row High Density		G	RJ45 Plug* – Single Row Standard Density		H	RJ45 Plug* – Dual Row Standard Density		J	RJ45 Plug* – Dual Row High Density		N	1100 Module		R	360 1100 Evolve Module		S	OneLink 2x6		T	OneLink 2x4		X	Unterminated	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Link</td><td>B</td><td>6</td></tr> <tr><td></td><td>C</td><td>8</td></tr> <tr><td></td><td>D</td><td>12</td></tr> <tr><td></td><td>E</td><td>16</td></tr> <tr><td></td><td>F</td><td>18</td></tr> <tr><td></td><td>G</td><td>24</td></tr> </table>	Link	B	6		C	8		D	12		E	16		F	18		G	24	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Outlet Color</td><td>0</td><td>Not Applicable</td></tr> <tr><td></td><td>1</td><td>Black (BK)</td></tr> <tr><td></td><td>2</td><td>Blue (BL)</td></tr> <tr><td></td><td>8</td><td>White (WH)</td></tr> </table>	Outlet Color	0	Not Applicable		1	Black (BK)		2	Blue (BL)		8	White (WH)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>UOM</td><td>F</td><td>Foot</td></tr> <tr><td></td><td>M</td><td>Meter</td></tr> </table>	UOM	F	Foot		M	Meter	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Length</td><td>12</td><td>XXX</td></tr> </table>	Length	12	XXX																																																																										
2	A	Outlet* – Single Row Standard Density																																																																																																																																																				
	B	Outlet* – Dual Row Standard Density																																																																																																																																																				
	C	Outlet* – Dual Row High Density																																																																																																																																																				
	G	RJ45 Plug* – Single Row Standard Density																																																																																																																																																				
	H	RJ45 Plug* – Dual Row Standard Density																																																																																																																																																				
	J	RJ45 Plug* – Dual Row High Density																																																																																																																																																				
	N	1100 Module																																																																																																																																																				
	R	360 1100 Evolve Module																																																																																																																																																				
	S	OneLink 2x6																																																																																																																																																				
	T	OneLink 2x4																																																																																																																																																				
	X	Unterminated																																																																																																																																																				
Link	B	6																																																																																																																																																				
	C	8																																																																																																																																																				
	D	12																																																																																																																																																				
	E	16																																																																																																																																																				
	F	18																																																																																																																																																				
	G	24																																																																																																																																																				
Outlet Color	0	Not Applicable																																																																																																																																																				
	1	Black (BK)																																																																																																																																																				
	2	Blue (BL)																																																																																																																																																				
	8	White (WH)																																																																																																																																																				
UOM	F	Foot																																																																																																																																																				
	M	Meter																																																																																																																																																				
Length	12	XXX																																																																																																																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Bundling</td><td>H</td><td>Hook-n-Loop</td></tr> <tr><td></td><td>S</td><td>Sleeving</td></tr> </table>	Bundling	H	Hook-n-Loop		S	Sleeving	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Jacket Color</td><td>8</td><td>White (WH)</td></tr> <tr><td></td><td>10</td><td>Slate (SL)</td></tr> <tr><td></td><td>Z</td><td>Blue (BL)</td></tr> </table>	Jacket Color	8	White (WH)		10	Slate (SL)		Z	Blue (BL)	<ul style="list-style-type: none"> Cords > 1m are authorized for use in channels and are an effective standalone method used to connect active devices Cords < 1m are also valid elements for use in a channel or as an equipment interconnect, but due to their limited length are not guaranteed to meet component compliance requirements that were developed to assess the quality of longer cords 																																																																																																																																					
Bundling	H	Hook-n-Loop																																																																																																																																																				
	S	Sleeving																																																																																																																																																				
Jacket Color	8	White (WH)																																																																																																																																																				
	10	Slate (SL)																																																																																																																																																				
	Z	Blue (BL)																																																																																																																																																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>Labeling</td><td>8</td><td>Generic Label</td></tr> </table>	Labeling	8	Generic Label																																																																																																																																																			
Labeling	8	Generic Label																																																																																																																																																				

Environmental Specifications

Operating Temperature	-10 °C to +60 °C (+14 °F to +140 °F)
Environmental Space	Plenum
Flammability Rating	UL 94 V-0

Regulatory Compliance/Certifications

Agency	Classification
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

Included Products

- 2071E-4/23 – GigaSPEED XL® 2071E ETL Verified Category 6 U/UTP Cable, plenum, 4 pair count
- MGS400 – GigaSPEED XL® M-Series Modular Jack, RJ45, Cat6 Unshielded