)B411-B



1-port quasi-omni exposed dipole antenna, 450–470 MHz, 360° HPBW, fixed electrical tilt

- Broad response
- Moisture resistant
- Rugged, reliable design

General Specifications

Antenna Type Omni

Band Single band

Color Silver

Grounding Type RF connector inner conductor and body grounded to reflector and mounting bracket

Performance Note Outdoor usage

Radiator Material Aluminum **RF Connector Interface** N Male

RF Connector Location End of flexible lead

RF Connector Quantity, low band RF Connector Quantity, total 1

Dimensions

Length 2,870.2 mm | 113 in Net Weight, without mounting kit 11.3 kg | 24.912 lb

Electrical Specifications

Impedance 50 ohm

Operating Frequency Band 450 - 470 MHz

Polarization Vertical

Electrical Specifications

Frequency Band, MHz 450-470

Gain, dBi 11.1 Beamwidth, Horizontal, 360 degrees

Beamwidth, Vertical, degrees 14

COMMSCOPE®

DB411-B

Beam Tilt, degrees 0

VSWR | Return loss, dB 1.5 | 14.0 Input Power per Port, 250

maximum, watts

Mechanical Specifications

Wind Loading @ Velocity, maximum 266.9 N @ 100 mph (60.0 lbf @ 100 mph)

Wind Speed, maximum 161 km/h (100 mph)

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



Included Products

DB365-OS – Pipe Mounting Kit that consists of two clamps for mounting antennas to round members 1.25 - 3.5 in (35 - 89 mm) OD round members.

* Footnotes

Performance Note Severe environmental conditions may degrade optimum performance



DB365-0S

Pipe Mounting Kit that consists of two clamps for mounting antennas to round members 1.25 - 3.5 in (35 - 89 mm) OD round members.

Product Classification

Product Type Pipe mount kit

General Specifications

ApplicationOutdoorColorSilver

Dimensions

Compatible Diameter, maximum88.9 mm | 3.5 inCompatible Diameter, minimum33 mm | 1.299 inWeight, net3.2 kg | 7.055 lb

Material Specifications

Material Type Galvanized steel

Packaging and Weights

Included Brackets | Hardware

Packaging quantity 2

Weight, gross 3.6 kg | 7.937 lb

Regulatory Compliance/Certifications

Agency Classification

CE Compliant with the relevant CE product directives

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



