TFAH70/80-34



ION®-B Series High Power Remote Unit for LMR700 and LMR800

OBSOLETE

Product Classification

Product Type

Product Brand

General Specifications

Note

Power Type

Dimension Drawing

Remote unit

ION®-B

Detailed Product Specifications are available. Please contact your local CommScope representative.


High

Page 1 of 3

©2020 CommScope, Inc. All rights reserved. All trademarks identified by ® or [™] are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: December 8, 2020



TFAH70/80-34



Electrical Specifications

| Impedance | 50 ohm |
|--|---|
| License Band | LMR 700 LMR 800 |
| Voltage Range | -60 to -38 Vdc |
| Electrical Specifications, Rx (Uplink) | |
| Operating Frequency Band | 788 – 806 MHz (LMR 700) 806 – 824 MHz (LMR 800) |
| Electrical Specifications, Tx (Downlink) | |
| Operating Frequency Band | 758 – 775 MHz (LMR 700) 851 – 869 MHz (LMR 800) |

Regulatory Compliance/Certifications

| Agency | Classification |
|---------------|--|
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system |
| ISO | |

Included Products

9001:2015

TPSN3/28-130 – Power Supply Adapter ION®-B Series Remote Units, 130

Page 2 of 3

©2020 CommScope, Inc. All rights reserved. All trademarks identified by ® or [™] are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: December 8, 2020





Page 3 of 3

©2020 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: December 8, 2020

