AEKT-N1



Antenna Enclosure Kit

- Innovative flexible modular solution enabling suitable sites to be upgraded to 5G capability
- Compatible with a variety of Nokia n78 mMIMO Active Antennas (MAA)
- The module installs directly above an existing, suitable passive antenna to provide the appearance of a single integrated antenna unit potentially simplifying site zoning approvals
- Installed antenna units can be swapped out on site e.g. to perform capacity upgrades
- Compatible specifically with antennas featuring ANDREW's 498 x 197 mm (WxD) radome housing
- Can be deployed as a standalone solution
- Includes Antenna Enclosure Housing, Installation Kit for compatible Nokia mMIMO Active Antennas (MAA), AEKT-N1 Mounting Hardware, protective "Windshield" Panels and Top Cap
- Contact your ANDREW representative for further details. For a list of supported Nokia MAA products, please contact Nokia
- A Mounting Kit for the antenna installed below the AEKT-N1 unit should be ordered separately, ANDREW P/N: BSAMNT-AEKT (required when installing the AEKT-N1 module directly on top of an antenna)

General Specifications

Antenna Type Antenna enclosure kit

Color Light Gray (RAL 7035)

Performance Note Outdoor usage

Radome Material Fiberglass, UV resistant

Dimensions

 Width
 498 mm | 19.606 in

 Depth
 199 mm | 7.835 in


 Length
 1100 mm | 43.307 in


 Net Weight, without mounting kit
 9.29 kg | 20.481 lb

Application Drawing



AEKT-N1





Mechanical Specifications

 $\begin{tabular}{ll} \textbf{Wind Loading @ Velocity, frontal} \\ \begin{tabular}{ll} 700.0 \ N @ 150 \ km/h \ (157.4 \ lbf @ 150 \ km/h) \\ \end{tabular}$

 $\begin{tabular}{ll} \textbf{Wind Loading @ Velocity, lateral} & 308.0 \ N \ @ \ 150 \ km/h \ (69.2 \ lbf \ @ \ 150 \ km/h) \end{tabular}$

Wind Loading @ Velocity, rear 700.0 N @ 150 km/h (157.4 lbf @ 150 km/h)

Wind Speed, maximum 241 km/h (150 mph)

Packaging and Weights

 Width, packed
 620 mm | 24.409 in

 Depth, packed
 350 mm | 13.78 in

 Length, packed
 1430 mm | 56.299 in

 Included
 Brackets | Hardware



Page 2 of 4

AEKT-N1

Weight, net 26.49 kg | 58.4 lb

Regulatory Compliance/Certifications

Agency Classification

CE Compliant with the relevant CE product directives

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



Included Products

AEKTMNT-N1 – Mounting Kit for 2.4 - 4.5 in (60 - 115 mm) OD round

members.

* Footnotes

Performance Note Severe environmental conditions may degrade optimum performance



AEKTMNT-N1



Mounting Kit for 2.4 - 4.5 in (60 - 115 mm) OD round members.

- Required for installing an ANDREW AEKT-N1 Antenna Enclosure Kit
- Includes 2 sets of brackets and clamps to mount AEKT-N1 to a suitable round member / pole
- Includes 2 sets of brackets to install a compatible Nokia mMIMO Active Antenna (MAA) in the AEKT-N1 Antenna Enclosure

Product Classification

Product Type Pipe mounting kit

Dimensions

Weight, net 8.8 kg | 19.401 lb

Packaging and Weights

Packaging quantity

Weight, gross 9.4 kg | 20.723 lb

