108459488 | D-183016



2 x 12 Fiber Breakout Kit, outside plant cable, gel blocking

Product Classification

Regional Availability Asia | Australia/New Zealand | EMEA | Latin America | North America

Portfolio SYSTIMAX®

Product Type Fiber breakout kit, rectangular

General Specifications

Color Black | Clear

Compatible Interface LC | LC, keyed | SC | ST

Dimensions

 Height
 7.62 mm | 0.3 in

 Width
 17.78 mm | 0.7 in

 Length
 43.18 mm | 1.7 in

Tube Inner Diameter $500 \, \mu m$ Tube Outer Diameter $900 \, \mu m$

Material Specifications

Material Type, bodyAcrylonitrile butadiene styrene (ABS)Material Type, tubingPVC | Thermoplastic elastomer (TPE)

Environmental Specifications

Operating Temperature -10 °C to +60 °C (+14 °F to +140 °F)

Packaging and Weights

Instruction sheet | Talc bag | Ten cable ties | Twenty-five feet white PVC tubing, .095 in inner

diameter | Two breakout units, twelve 24 in x 900 µm buffer tubing each | Two clear flexible plastic

tubes | Two splitter kits with talc bag | Two syringe tips | Two syringes

Packaging quantity 1

Page 1 of 2

108459488 | D-183016

Regulatory Compliance/Certifications

CHINA-ROHS	Below maximum concentration value

Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



Agency