

Low-Profile Co-location Platform Kit, 14 ft face, 30 in to 60 in OD, includes pipe

OBSOLETE

This product was discontinued on: August 18, 2022

Replaced By:

MC-PK14M-12-96 Low-Profile Co-location Platform Kit, 14 ft face, 12 in to 50 in OD, includes pipe

Product Classification

Product TypeMonopole platform kit

General Specifications

Monopole, 762–1524 mm (30–60 in) OD

Pipe, quantity 12
Sectors, quantity 3

Dimensions

Height 1,828.8 mm | 72 in

Face Width 4.42 m | 14.5 ft

 Width
 4,419.6 mm | 174 in

 Length
 914.4 mm | 36 in

 Pipe Length
 1,828.8 mm | 72 in

 Face Support Pipe Diameter
 88.9 mm | 3.5 in

Mounting Diameter, maximum 1524 mm | 60 in

Mounting Diameter, minimum 762 mm | 30 in

Pipe Outer Diameter60.325 mm | 2.375 in

Mounting Circumference, maximum 4,785.36 mm | 188.4 in




Mounting Circumference, minimum

2,392.68 mm | 94.2 in



Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Mechanical Specifications

Wind Rating 120 mph (BWS) at 150 ft AGL | 140 mph (3-second gust) at 150 ft AGL using Exposure D

per FBC

Wind Rating Criteria Four 72 in x 8 in panel antennas per sector

Wind Rating Test Method TIA/EIA-222

Packaging and Weights

Included Pipe mounts | Platform | Ring mount

Packaging quantity 1

Weight, net 863.685 kg | 1,904.1 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



Included Products

MC-PK14L-B - Low-Profile Co-location Platform Kit, 14 ft face, 30 in to 60 in OD, pipe ordered

separately


MT-219-H – Pipe Mount Kit - 2-3/8" TO 3-1/2" PIPE - pipe not included MT-651 – Plain End Pipe, 2-3/8 in OD x 72 in .120" A500C 46Ksi

* Footnotes

Wind Rating BWS—Base Wind Speed; FBC—Florida Building Code



MC-PK14L-B



Low-Profile Co-location Platform Kit, 14 ft face, 30 in to 60 in OD, pipe ordered separately

Product Classification

Product Type Monopole platform kit

General Specifications

Monopole, 762–1524 mm (30–60 in) OD

Pipe, quantity 0
Sectors, quantity 3

Dimensions

 Height
 254 mm | 10 in

 Face Width
 4.42 m | 14.5 ft

Width 4,419.6 mm | 174 in

Length 914.4 mm | 36 in

Face Support Pipe Diameter 88.9 mm | 3.5 in

Mounting Diameter, maximum 1524 mm | 60 in

Mounting Diameter, minimum 762 mm | 30 in


Pipe Outer Diameter 0 mm | 0 in

Mounting Circumference, maximum4,785.36 mm1 188.4 inMounting Circumference, minimum2,392.68 mm94.2 in



MC-PK14L-B

Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Mechanical Specifications

Wind Rating 120 mph (BWS) at 150 ft AGL | 140 mph (3-second gust) at 150 ft AGL using Exposure D

per FBC

Wind Rating Test Method TIA/EIA-222

Packaging and Weights

Included Pipe mounts | Platform | Ring mount

Packaging quantity

Weight, net 684.879 kg | 1,509.9 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

* Footnotes



MC-PK14L-B

Wind Rating

BWS-Base Wind Speed; FBC-Florida Building Code



MT-219-H



Pipe Mount Kit - 2-3/8" TO 3-1/2" PIPE - pipe not included

Product Classification

Product Type Pipe mount kit

General Specifications

Mounting Pipe, 60.3 mm (2-3/8 in) OD | Pipe, 88.9 mm (3-1/2 in) OD

Dimensions

 Height
 254 mm | 10 in

 Width
 127 mm | 5 in

 Length
 127 mm | 5 in

 Mounting Diameter, maximum
 88.9 mm | 3.5 in

Mounting Diameter, minimum 60.325 mm | 2.375 in

Material Specifications

Material Type Hot dip galvanized steel

Packaging and Weights

Included Crossover bracket | U-bolts

Classification

Compliant

Packaging quantity 1

UK-ROHS

Weight, net 4.9 kg | 10.803 lb

Regulatory Compliance/Certifications

Agency	Classification
CHINA-ROHS	Below maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
REACH-SVHC	Compliant as per SVHC revision on www.andrew.com/ProductCompliance
ROHS	Compliant



MT-219-H





Plain End Pipe, 2-3/8 in OD x 72 in .120" A500C 46Ksi

Product Classification

Product Type Plain end pipe

General Specifications

Pipe, quantity 1

Dimensions

 Height
 60.96 mm | 2.4 in

 Width
 60.96 mm | 2.4 in

 Length
 1,828.8 mm | 72 in

 Pipe Length
 1,828.8 mm | 72 in

 Pipe Outer Diameter
 60.96 mm | 2.4 in

 Material Thickness
 3.048 mm | 0.12 in

Material Specifications

Material Type A500 | Hot dip galvanized steel

Material Grade C

Material Strength 46 KSI

Packaging and Weights

Included Pipe **Packaging quantity** 1

Weight, net 8 kg | 17.637 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

ANDREW® an Amphenol company

Page 10 of 11

MT-651

ROHS UK-ROHS Compliant/Exempted
Compliant/Exempted

