

Low-Profile Co-location Platform Kit, 14 ft face, 30 in to 60 in OD, includes pipe

#### **OBSOLETE**

This product was discontinued on: August 18, 2022

Replaced By:

MC-PK14M-12-96 Low-Profile Co-location Platform Kit, 14 ft face, 12 in to 50 in OD, includes pipe

### **Product Classification**

**Product Type**Monopole platform kit

General Specifications

**Monopole**, 762–1524 mm (30–60 in) OD

Pipe, quantity 12
Sectors, quantity 3

Dimensions

**Height** 1,828.8 mm | 72 in

**Face Width** 4.42 m | 14.5 ft

 Width
 4,419.6 mm | 174 in

 Length
 914.4 mm | 36 in

**Pipe Length** 1,828.8 mm | 72 in

Face Support Pipe Diameter 88.9 mm | 3.5 in Mounting Diameter, maximum 1524 mm | 60 in

**Mounting Diameter, minimum** 762 mm | 30 in

Pipe Outer Diameter60.325 mm | 2.375 in

**Mounting Circumference, maximum** 4,785.36 mm | 188.4 in




**Mounting Circumference, minimum** 

2,392.68 mm | 94.2 in



### Outline Drawing



### Material Specifications

Material Type Hot dip galvanized steel

Mechanical Specifications

Wind Rating 120 mph (BWS) at 150 ft AGL | 140 mph (3-second gust) at 150 ft AGL using Exposure D

per FBC

**Wind Rating Criteria** Four 72 in x 8 in panel antennas per sector

Wind Rating Test Method TIA/EIA-222

Packaging and Weights

Included Pipe mounts | Platform | Ring mount

Packaging quantity 1

**Weight, net** 863.685 kg | 1,904.1 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system



### Included Products

MC-PK14L-B – Low-Profile Co-location Platform Kit, 14 ft face, 30 in to 60 in OD, pipe ordered

separately

MT-219-H – Pipe Mount Kit - 2-3/8" TO 3-1/2" PIPE - pipe not included MT-651 – Plain End Pipe, 2-3/8 in OD x 72 in .120" A500C 46Ksi

### \* Footnotes

Wind Rating BWS—Base Wind Speed; FBC—Florida Building Code

