209800-47B1



Self-locking Hanger with Non transverse tab for 1-5/8 in RADIAX® Radiating cable

Product Classification

Product Type Hanger kit

General Specifications

Cables per Hanger

Color Black

Hanger Type Self locking hanger

Dimensions

Maximum Stack Height 2

 Height
 72.9 mm | 2.87 in

 Width
 22.1 mm | 0.87 in

 Length
 53.6 mm | 2.11 in

 Compatible Diameter, maximum
 50.5 mm | 1.988 in

 Compatible Diameter, minimum
 46.5 mm | 1.831 in

Nominal Size 1-5/8 in

Material Specifications

Material Type Polyamide PA12

Mechanical Specifications

Maximum Load 1400 N | 314.733 lbf

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C} \text{ to } +80 \,^{\circ}\text{C} \, (-40 \,^{\circ}\text{F to } +176 \,^{\circ}\text{F})$

Flammability Test Method UL 94-HB

Toxicity Index Test Method IEC 60754-2

UV Resistance, minimum with no degradation ≥500 hours exposure in accelerated UV life chamber

Page 1 of 2

209800-47B1

Packaging and Weights

 Height, packed
 11.5 cm | 4.528 in

 Width, packed
 8.5 cm | 3.346 in

 Length, packed
 30 cm | 11.811 in

Packaging quantity 25

Weight, gross 2.1 kg | 4.63 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

* Footnotes

Maximum Stack Height Fiber, Hybrid, Power