

### Single Entrance Panel for elliptical waveguide 64

**Product Classification** 

Product Type Entrance panel

General Specifications

**Color** Gray

Entry Panel Port Size 101.6 mm | 4 in

Number of Ports 1

Panel Type Single

**Dimensions** 

 Height
 76.2 mm | 3 in

 Width
 127 mm | 5 in

Waveguide Size WR137 | WG14 | R70

Material Specifications

Material Type Aluminum

### **Environmental Specifications**

Weather Resistance Test Method 04AS00-03.9.0 | IEC 60529.14.2

Packaging and Weights

 Height, packed
 279.4 mm | 11 in

 Width, packed
 203.2 mm | 8 in

 Length, packed
 165.1 mm | 6.5 in

Included Boot | Plate

Packaging quantity 1

**Weight, gross** 1.25 kg | 2.756 lb

**COMMSCOPE®** 

# 245314-64

## Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

#### Included Products

204673-1 - One 4" Port Entrance Panel 1 x 1

WGB4-64 – Boot Assembly, 4 in, for elliptical waveguide

64



#### One 4" Port Entrance Panel 1 x 1

#### **Product Classification**

Product Type Entrance panel

Ordering Note CommScope® non-standard product

General Specifications

**Color** Gray

Entry Panel Port Size 101.6 mm | 4 in

Number of Ports 1

Panel Type Single

**Dimensions** 

 Height
 177.8 mm | 7 in

 Width
 177.8 mm | 7 in

Material Specifications

Material Type Aluminum

### **Environmental Specifications**

Weather Resistance Test Method 04AS00-03.9.0 | IEC 60529:2001, IP66

Packaging and Weights

 Height, packed
 177.8 mm | 7 in

 Width, packed
 177.8 mm | 7 in

 Length, packed
 40.64 mm | 1.6 in

Included Entry cap | Hardware | Port

Packaging quantity 1

**Weight, gross** 0.28 kg | 0.617 lb

COMMSCOPE®

# 204673-1

## Regulatory Compliance/Certifications

Agency	Classification
--------	----------------

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant



## \MGB4-64



### Boot Assembly, 4 in, for elliptical waveguide 64

**Product Classification** 

Product Type Boot assembly

General Specifications

Cable TypeElliptical waveguide

Cables per Cushion 1

**Color** Black

**Dimensions** 

 Width
 101.6 mm | 4 in

 Length
 76.2 mm | 3 in

Waveguide Size WR137 | WG14 | R70

Material Specifications

Material Type EPDM rubber

### **Environmental Specifications**

UV Resistance Test MethodMIL-STD-810E, Procedure 11, Method 557Weather Resistance Test Method04AS00-03.9.52 | IEC 60529:2001, IP66

Packaging and Weights

 Height, packed
 142.24 mm | 5.6 in

 Width, packed
 142.24 mm | 5.6 in

 Length, packed
 78.74 mm | 3.1 in

 Included
 Boot | Cushion

Packaging quantity 1

**Weight, gross** 0.25 kg | 0.551 lb

**COMMSCOPE®** 

# WGB4-64

## Regulatory Compliance/Certifications

Agency	Classification
--------	----------------

CHINA-ROHS Below maximum concentration value

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.commscope.com/ProductCompliance

ROHS Compliant UK-ROHS Compliant

